INDEX

Page

Acidity, tomato plant, determination by electrodialysis 101-114
Acrobeles—
(*Acrobeloides*) *butschlii*, number and distribution in cysts of *Heterodera schachtii* 571, 574-575
butschlii (Acrobeloides), number and distribution in cysts of *Heterodera schachtii* 571, 574-575
Agropyron spp., hosts of *Helminthosporium giganteum* 484, 486, 491
Agrostis stolonifera, host of *Helminthosporium giganteum* 484, 492
Alcohol, content of cider, control by yeast inoculations 43-54
Alfalfa—
growing, Yakima Valley, soil and water relations 67, 68, 85
growth—
response to winter injury 207-210
stages, relation to bacterial wilt 545, 547-560, 567-569
hay, net energy value as cattle feed, experimental study 255-265, 276-299
host of tobacco ring spot 152-153
plant—
anatomical structure 191-197
growth characteristics 190-191
Wilt, Bacteria Causing, Development as Influenced by Growth and Winter Injury: Fred Reuel Jones 545-569
wilt-infected, longevity 560-562, 569
root rot. *See* Alfalfa wilt.
seed, infection with wilt, study 558
wilt—
bacterial, relation to winter injury 198, 210, 211
Disease Caused by *Fusarium oxysporum* var. *medicaginis* n. var.: J. L. Weimer 419-433
Fusarium, control measures 431-432
Fusarium, distribution and economic importance 420-421
Fusarium, symptoms 421-425, 432
Winter Injury: Fred Reuel Jones 189-211
winter injury, relation to bacterial wilt 545, 562-566, 568, 569
wood, discoloration, indication of bacterial wilt 547-548
wounds, source of wilt infection 548-550, 551, 562-566, 568, 569
Alkali, prevention in irrigated soils 84-85
Alkalinity, tomato, determination by electrodialysis 101-114
Ammonia, Cause of Injury to Onions and Fruits by Exposure: G. B. Ramsey and L. F. Butler 339-348
Ammonium sulphate, effect on reaction of rice soils 591-592, 593-595, 596-601
Animals, growth and reproduction on experimental rations 55-63
Aplanobacter insidiosum—
cause of alfalfa wilt 198, 211, 545
parasitism cycle in relation to alfalfa plant 567, 568, 569
Apple—
Crown Gall, Etiology, Studies: E. A. Siegler 301-313
grafts, wound overgrowths, causal organism, identification 301-313
juice. *See* Cider.
scab fungus, comparison with pecan-scab fungus 184-185
Apples, injury by exposure to ammonia 343, 344, 345, 347-348

Page

Bach, Walter J., and Wolf, Frederick A.: The Isolation of the Fungus that Causes Citrus Melanose and the Pathological Anatomy of the Host 243-252
Bacillus amylovorus—
cause of fire blight, studies 493-504
host plants, list 502-503
Bacteria, Alfalfa Wilt—
Development as Influenced by Growth and Winter Injury: Fred Reuel Jones 545-569
progress in host plants 548-560, 569
Bacterial Pocket Disease—
of Sugar Beet: Nellie A. Brown 155-168
of sugar beets—
causal organism 163, 168
distinction from crown gall 161
See also *Bacterium beticola*.
Bacterium—
beticola—
cause of bacterial pocket disease of sugar beets 163, 168
cultural characters 163-164, 168
description, emended 167-168
infection studies 155-161
physiological characters 164-167, 168
See also Bacterial pocket disease.
tabacum, cause of tobacco wild fire 136
tumefaciens—
apple strain, inoculation studies 302-311
cause of apple crown gall, study 301-313
Bananas, injury by exposure to ammonia 344, 345, 346-348
Barnyard grass. See *Echinochloa crusgalli*.
Bean, Tepary, chilling above freezing point, effect 319, 321-323, 336
Beans—
Common, Pigment Patterns in Varieties, Influence of Environmental Factors on: F. V. Owen, Iva Merchant Burgess, and C. R. Burnham 435-442
growth, blossoming, and production under normal and extended light exposure 625-627, 628
hosts of tobacco ring spot 130, 141, 149, 152, 153
mottling, factors affecting 435-442
pigmentation, factors affecting 435-442
soy, chilling above freezing point, effects 319, 320, 322, 323, 327, 328, 329, 335, 336
stand, thickness, effect on pigmentation 439-442
varietal adaptability to day length 625-627, 628
varieties, color patterns 435-437
velvet, chilling above freezing point, effects 318, 322, 324-330, 335-337
Beet, Sugar—
Bacterial Pocket Disease: Nellie A. Brown 155-168
inoculation with *Bacterium beticola*, results 155-161
Nematode (*Heterodera schachtii* Schmidt), Nematodes Inhabiting the Cysts of: Gerald Thorne 571-575
Behre, C. Edward: Preliminary Normal Yield Tables for Second-Growth Western Yellow Pine in Northern Idaho and Adjacent Areas 379-397
Bent grass. See *Agrostis stolonifera*.
Bermuda grass, infection with zonate eyespot 484, 485, 486, 491
Beverages, alcoholic content, control experiments 43-54
Black-mold rot. *See* Rhizopus; Rot, Rhizopus.

Page

Blister—
rust—
pifion—
distribution and importance 663
susceptibility of currants and gooseberries to 675, 678–681
See also *Cronartium occidentale*.
white-pine—
distribution and importance 663
susceptibility of currants and gooseberries to 675–677, 679–681
See also *Cronartium ribicola*.
rusts, behavior in greenhouse inoculations 665–667
Bluegrass, infection with zonate eyespot 491, 492
Braman, Winfred W.; Kriss, Max; Jeffries, C. D.; Swift, R. W.; French, Rowland B.; Miller, R. C.; Smythe, C. V.; and Forbes, E. B.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition 253–300
Brassica oleracea—
Subspecies, Resistence to Yellows (*Fusarium conglutinans*), A Survey: J. C. Walker and F. L. Wellman 233–241
See also Cabbage.
Breeding—
guinea pigs, for inheritance of nose spots and tail spots 25–41
See also Crossbreeding.
Broccoli, resistance to cabbage yellows 238, 239
Brome grass. See *Bromus inermis*.
Bromus inermis, host of *Helminthosporium giganteum* 485, 486, 491
Brooks, Charles, and Cooley, J. S.: Time-Temperature Relations in Different Types of Peach-Rot Infection 507–543
Brown, Nellie A.: Bacterial Pocket Disease of the Sugar Beet 155–168
Brown rot. *See* Monilia; rot, Monilia.
Brussells sprouts, resistance to cabbage yellows 238–239, 240, 241
Buckwheat, chilling above freezing point, effect 319, 321, 323, 335, 336
Burgess, Iva Merchant; Owen, F. V.; and Burnham, C. R.: The Influence of Environmental Factors on Pigment Patterns in Varieties of Common Beans 435–442
Burnham, C. R.; Owen, F. V.; and Burgess, Iva Merchant: The Influence of Environmental Factors on Pigment Patterns in Varieties of Common Beans 435–442
Butler, L. F., and Ramsey, G. B.: Injury to Onions and Fruits Caused by Exposure to Ammonia 339–348
Butter yield, computation 170

Cabbage—
subspecies, resistance to yellows, survey 233–241
varieties, American and foreign, resistance to yellows, comparison 235–236, 240
wild, resistance to yellows 233, 237, 238, 240, 241
yellows, resistance of subspecies to, survey 233–241
Calcium—
chloride, effect on reaction of plants to chilling 331–334, 337
nitrate, effect on reaction of plants to chilling 331–334, 337
Canary grass. See *Phalaris arundinacea*.
Capillary potential—
control means 728–729
definition and characteristics 727–728
determination in soils 731–734, 741
determining factors 730–731, 741
measurement and control, apparatus 729, 739–740
Usefulness to Soil Moisture and Plant Investigators: Lorenzo A. Richards 719–742
Carbon dioxide, use against take-all disease, experiments 349–351, 352–355
Carpocapsa pomonella, spring-brood emergence, determination methods 399–417
Cars, refrigerator, temperature conditions, duplication 522–524
Castor-oil plant, host of tobacco ring spot 130, 141

Page

Cattle—
dairy and beef types, conformation, anatomy, and skeletal structure, comparison 685–717
Energy Metabolism in Relation to Plane of Nutrition: E. B. Forbes, Winfred W. Braman, Max Kriss, C. D. Jeffries, R. W. Swift, Rowland B. French, R. C. Miller, and C. V. Smythe 253–300
fasting katabolism as measure of maintenance requirement of net energy 268–274
feeding experiments, results on metabolism and nutrition 253–299
heat production on various rations, experimental study 259–268, 276–289
measurement of surface area 274–276
Nutrition Plane, Relation to Energy Metabolism: E. B. Forbes, Winfred W. Braman, Max Kriss, C. D. Jeffries, R. W. Swift, Rowland B. French, R. C. Miller, and C. V. Smythe 253–300
Cauliflower, resistance to cabbage yellows 238, 239, 241
Cephalobus oxyuroides, number and distribution in cysts of *Heterodera schachtii* 571, 573, 575
Chaenomeles lagenaria, fire-blight infection, study 494–497, 504
Chaetochloa lutescens, host of *Helminthosporium giganteum* 485–486, 492
Chenopodiaceae, hosts of tobacco ring spot 130, 144, 153
Chickens, gains on various rations 115–121
Chicks—
Growth, Rapid, on Rations of Natural Foodstuffs: Albert G. Hogan, Charles L. Shrewsbury, and Harry L. Kempster 115–121
leg weakness, discussion 118–120
weight, correlation with age 118
Chilling, Crop Plants, above Freezing Point, Effects: Jacq. P. F. Sellschop and S. C. Salmon 315–338
Chlorine, in wheat ration, effect of variation 55–56, 59–63
Chlorosis, in rice—
alkalinity as cause, disproval 601
Development, Relation of Sodium Nitrate and Certain Other Nitrogen Carriers to: W. H. Metzger and George Janssen 589–602
effect of nitrate nitrogen on development 593–595
Cider—
analyses in yeast-inoculation studies 46–50
beverage quality, preservation, experiments 43–54
Fermentation, Alcoholic, Effect of Successive Generations of Yeast on: S. C. Vandecaveye 43–54
Citrus—
fruits, melanose-infected, pathological anatomy 248–250, 251
gum, relation to citrus melanose 250, 251, 252
melanose—
description 243
Isolation of Fungus Causing, and Pathological Anatomy of Host: Walter J. Bach and Frederick A. Wolf 243–252
Cladosporium—
carpophilum, comparison with *Cladosporium effusum* (Wint.) Comb. Nov. 185
effusum—
description, emended 186
(Wint.) Comb. Nov., Pecan-Scab Fungus, Morphology and Taxonomy: J. B. Demaree 181–187
Clovers, hosts of tobacco ring spot 144, 152–153
Codling Moths and Oriental Peach Moths, Spring-Brood Emergence, Determination by Various Methods: Alvah Peterson and G. J. Haeussler 399–417
Cold storage, onions and fruits, discoloration, studies 339–348
Collards, resistance to cabbage yellows 238, 239, 241

Page

Color, inheritance in sorghum seed, study.. 577–588
Compositae, hosts of tobacco ring spot..... 129–130, 141, 144, 148, 153
Cooley, J. S., and Brooks, Charles: Time-Temperature Relations in Different Types of Peach-Rot Infection..... 507–543
Corn—
blighting, causal organism..... 445–446
chilling above freezing point, effect..... 319, 321, 323, 328, 329, 331–332, 334–337
Dent—
Pythium Root Rot and Seedling Blight: Helen Johann, James R. Holbert, and James G. Dickson..... 443–464
Pythium Seedling Blight and Root Rot: Helen Johann, James R. Holbert, and James G. Dickson..... 443–464
Inoculation with *Pythium arrhenomanes*, experimental results..... 447–463
meal, net-energy value as cattle feed, experimental study..... 255–264, 276–299
Porto Rican, growth and production under normal and extended light exposure..... 618–621, 628
Pythium injury, description..... 443–444, 462, 463
ration for chicks, effect on growth, study.. 115–121
root rot, Pythium, description..... 444, 462, 463
seed germination, effect of inoculation with *Pythium arrhenomanes*..... 448–450, 454–456, 459–463
seedling blight, results from inoculation with *Pythium arrhenomanes*..... 448–451, 453–456, 460–463
Cotton—
bolls, position on fruiting branch, relation to seed fuzziness..... 467–471
chilling above freezing point, effects..... 319, 320, 324, 326, 329, 330, 333, 335–337
lint length, relation to position of boll on fruiting branch..... 465, 472
Pima, Seed Fuzziness, Variation on Individual Plants: Thomas H. Kearney and George J. Harrison..... 465–472
seed fuzziness, relation to position of—
boll on fruiting branch..... 469–471
fruiting branch..... 467–469, 471
seedling—
relation to soil salinity..... 214, 228–230
stand, correlation with soil resistance.. 221–223, 227–228, 229, 230
Stand, Possible Relationship to Soil Salinity: J. Arthur Harris..... 213–231
Couch grass. *See* Quack grass.
Cow—
Beef, Highly Specialized, Conformation, Anatomy, and Skeletal Structure, Comparison with Highly Specialized Dairy Cow: W. W. Swett, R. R. Graves, and F. W. Miller..... 685–717
Dairy, Highly Specialized, Conformation, Anatomy, and Skeletal Structure, Comparison with Highly Specialized Beef Cow: W. W. Swett, R. R. Graves, and F. W. Miller..... 685–717
Cowpeas, chilling above freezing point, effects... 318, 319, 322, 324, 326–330, 332, 334, 336, 337
Cows—
age, relation to milk yield, computation.. 169–180
conformation and anatomy, comparison in dairy and beef types..... 685–717
external measurements, comparison in dairy and beef types..... 688–692, 714–715, 717
internal anatomy, comparison in dairy and beef types..... 693–695, 715, 717
milk—
and butterfat production, relation to conformation and anatomy, study... 685–717
yield, measure of growth and age, computation..... 169–180
Red Danish, Growth and Senescence as Measured by Rate of Milk Secretion: W. L. Gaines and D. D. Shaw..... 169–180
skeletal structure, comparison in dairy and beef types..... 697–714, 716–717
udder structure, comparison in dairy and beef types..... 695–697, 715–716, 717
weight and measurement of organs, comparison in dairy and beef types.. 693–695, 715, 717

Page

Cress, winter, host of tobacco ring spot..... 130, 144
Cronartium—
occidentale—
inoculation on Ribes and Grossularia of Pacific Northwest, greenhouse experiments..... 663–681
urediniospore infection on *Ribes* spp., comparison with *C. ribicola*..... 665, 670–681
See also Blister rust, piñon.
ribicola—
inoculation on Ribes and Grossularia of Pacific Northwest, greenhouse experiments..... 663–681
urediniospore infection on *Ribes* spp., comparison with *C. occidentale*.. 665, 670–681
See also Blister rust, white pine.
spp.—
inoculation on *Ribes* spp., methods.... 667–673
urediniospores, development, factors affecting..... 665–667
urediniospores, viability..... 667
Crop Plants, Chilling above Freezing Point, Influence of: Jacq. P. F. Sellschop and S. C. Salmon..... 315–338
Crossbreeding—
guinea pigs, for inheritance of nose spots and tail spots..... 29–30, 38, 41
oats, for rust resistance, experimental results..... 12–22
Crown Gall of—
Apple, Etiology, Studies: E. A. Siegler.. 301–313
sugar beets, distinction from bacterial pocket disease..... 161
Cucurbitaceae, hosts of tobacco ring spot.. 129, 141–143, 150–151, 153
Currant—
wild, differential host for white-pine and piñon blister rusts..... 681
See also Ribes.
Cynodon dactylon, host of *Helminthosporium giganteum*..... 484, 485, 486, 491

Daylight, length, effect on growth and production of some economic plants..... 603–628
Demaree, J. B.: Morphology and Taxonomy of the Pecan-Scab Fungus, *Cladosporium effusum* (Wint.) Comb. Nov..... 181–187
Diaporthe citri—
cause of citrus melanose..... 243, 244, 245, 251, 252
isolation, methods and results..... 244–248
Dickson, James G.; Johann, Helen; and Holbert, James R.: A Pythium Seedling Blight and Root Rot of Dent Corn..... 443–464
Diet, Requirements for Fertility and Lactation—
A Dietary Sterility Associated with Vitamin A Deficiency: Barnett Sure.. 87–92
The Vitamin A Content of Wheat Oil: Barnett Sure..... 93–99
Dietz, S. M.: Inheritance of Resistance in Oats to *Puccinia graminis avenae*..... 1–23
Digitaria spp., host of *Helminthosporium giganteum*..... 486, 492
Dillman, A. C.: Daily Growth and Oil Content of Flaxseeds..... 357–377
Drechsler, Charles: Zonate Eyespot of Grasses Caused by *Helminthosporium giganteum*..... 473–492
Drought, effect on flaxseed development... 370–371

Eaton, Orson N.: The Occurrence of Nose Spots and Tail Spots in Guinea Pigs..... 25–41
Echinochloa crusgalli, host of *Helminthosporium giganteum*..... 486–487, 491
Electrodialysis, Determination of Influence of Soil Reaction on Ionizable Constituents of Tomato: E. J. Haber..... 101–114
Electrostatic potential, definition and characteristics..... 720–721
Eleusine indica, host of *Helminthosporium giganteum*..... 487, 491
Elymus virginicus, host of *Helminthosporium giganteum*..... 487, 491
Energy Metabolism of Cattle, Relation to Plane of Nutrition: E. B. Forbes, Winfred W. Braman, Max Kriss, C. D. Jeffries, R. W. Swift, Rowland B. French, R. C. Miller, and C. V. Smythe..... 253–300

Page

Environment, Influence on Pigment Patterns in Varieties of Common Beans: F. V. Owen, Iva Merchant Burgess, and C. R. Burnham 435–442
Enzymes, pectic, relation to citrus melanose. 250, 251
Eragrostis major, host of *Helminthosporium giganteum* 487, 491
Etiology, Crown Gall of Apples, Studies: E. A. Siegler 301–313
Eyespot, Zonate, of Grasses, Caused by *Helminthosporium giganteum:* Charles Drechsler 473–492

Feed, potassium and chlorine content, variation, effect 55–63
Feeds—
cattle, net-energy values, experimental study 253–299
chicken, effect on growth 115–121
Fellows, Hurley—
Some Chemical and Morphological Phenomena Attending Infection of the Wheat Plant by *Ophiobolus graminis* .. 647–661
The Influence of Oxygen and Carbon Dioxide on the Growth of *Ophiobolus graminis* in Pure Culture 349–355
Fermentation, Alcoholic, of Cider, Effect of Successive Generations of Yeast on: S. C. Vandecaveye 43–54
Fertility, Dietary Requirements—
A Dietary Sterility Associated with Vitamin A Deficiency: Barnett Sure .. 87–92
The Vitamin A Content of Wheat Oil: Barnett Sure 93–99
Fertilizers, rice, relation to chlorosis and plant yield 591–592, 593–601
Feterita—
crosses with sorgos, genetic studies 583–586
cultural methods in field experiments 633
field—
experiments with, methods and probable error 629–646
plot, replication, effect on probable error 642–644, 645, 646
plot, shape, effect on probable error. 639–641, 645
plot, size increase, effect on probable error 637–639, 644–645, 646
harvesting methods in field experiments. 633
yield—
experimental-error data 634–635
variation, probable error, factors affecting 636–646
See also Sorghum; Sorghums; Sorgo.
Field plot—
shape, effect on probable error 639–641, 645
size increase, effect on probable error 637–639, 644–645, 646
Field plots, replication, effect on probable error 642–644, 645, 646
Fire Blight, Host Range, Studies: H. R. Rosen and A. B. Groves 493–505
Flax—
bolls and seeds, volume, daily growth ... 362–364
Chilling above freezing point, effect 319, 321, 324, 335, 336
flowering time, relation to seed development 371–374
Flaxseed—
immature, germination study 375
weight, daily growth 365–366
Flaxseeds—
Daily Growth and Oil Content: A. C. Dillman 357–377
oil content, relation to maturity 357–360, 366–369, 372–377
Foodstuffs, Natural, Rations, Rapid Growth of Chicks on: Albert G. Hogan, Charles L. Shrewsbury, and Harry L. Kempster 115–121
Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Jeffries, C. D.; Swift, R. W.; French, Rowland B.; Miller, R. C.; and Smythe, C. V.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition 253–300
Forests, western yellow pine, yield tables .. 379–397
Foxtail, yellow. See *Chaetochloa lutescens.*

Page

Freezing point—
natural, of insects, determination 749, 755
of insects, effect of surgical shock 744–748, 750–751, 755
French, Rowland B.; Miller, R. C.; Smythe, C. V.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Jeffries, C. D.; and Swift, R. W.: The Energy Metabolism of Cattle in Relation to the Plan of Nutrition 253–300
Fruit—
juices. *See* Cider.
moths. *See* Codling moths; Peach moths.
rot infection, time-temperature relations. 507–543
Fruits—
discoloration in storage, cause 343–348
drupaceous, fire-blight infection, study .. 500–502, 504
injury caused by exposure to ammonia .. 343–348
Fusarium—
conglutinans, resistance of *Brassica oleracea*, subspecies to, survey 233–241
oxysporum var. *medicaginis*, n. var.—
cause of alfalfa wilt 425
cultural characters 425–429
life history 431
morphology 425
parasitism on alfalfa 429–431
wilt of alfalfa. *See* Alfalfa, wilt, Fusarium.
Fusicladium—
carygenum, identification as *Fusicladium effusum* 181
dentriticum, comparison with *Cladosporium carpophilum* 184–185
effusum, reclassification proposed 186

Gaines, W. L., and Shaw, D. D.: Growth and Senescence in Red Danish Cows as Measured by the Rate of Milk Secretion. 169–180
Gall, Crown, of Apples, Etiology, Studies: E. A. Siegler 301–313
Gibberella saubinetii, comparison with *Pythium arrhenomanes* in injury to n 444, 456–460, 462–463
Goose grass. See *Eleusine indica.*
Gooseberries. *See also* Grossularia; Ribes.
Gourds, ring-spot disease, symptoms 150–151
Grain seeds, analysis and germination percentage, relation to phosphorus distribution 124–125
Grains, Phosphorus Distribution: J. E. Webster 123–125
Gramineae. *See* Grasses.
Grapefruit, melanose-infected, pathological anatomy 248–250
Grasses—
Eyespot, Zonate, Caused by *Helminthosporium giganteum:* Charles Drechsler. 473–492
hosts of *Helminthosporium giganteum*. 478, 484–492
susceptibility to eyespot, relation to development of lesions 475–478
Graves, R. R.; Swett, W. W.; and Miller, F. W.: Comparison of Conformation, Anatomy, and Skeletal Structure of a Highly Specialized Dairy Cow and a Highly Specialized Beef Cow 685–717
Gravitational and pressure potentials, definitions and characteristics 721–727
Grossularia spp.—
susceptibility to—
Cronartium occidentale 675, 678, 679, 680, 681
Cronartium ribicola 674–677, 679, 680, 681
See also Ribes.
Grossulariaceae, inoculation with *Cronartium ribicola* and *C. occidentale*, greenhouse experiments 663–681
Groves, A. B., and Rosen, H. R.: Studies on Fire Blight: Host Range 493–505
Growth, of cows, relation to milk yield, computation 169–180
Guinea pigs—
nose spots—
and Tail Spots, Occurrence: Orson N. Eaton 25–41
relation to other characters 33–36
pigmentation areas, study 25–41
Gum, citrus, relation to citrus melanose 250, 251, 252

Page

Haber, E. S.: The Influence of the Soil Reaction on the Ionizable Constituents of the Tomato as Determined by Electro dialysis 101–114
Haeussler, G. J., and Peterson, Alvah: Determination of the Spring-Brood Emergence of Oriental Peach Moths and Codling Moths by Various Methods 399–417
Hahn, Glenn Gardner: The Inoculation of Pacific Northwestern Ribes with *Cronartium ribicola* and *C. occidentale* 663–683
Harris, J. Arthur: A Possible Relationship between Soil Salinity and Stand in Cotton 213–231
Harrison, George J., and Kearney, Thomas H.: Variation in Seed Fuzziness on Individual Plants of Pima Cotton 465–472
Heat production, cattle, factors affecting 259–268, 276–289, 297–299

Hegari, dwarf. *See* Sorghums.
Helminthosporium giganteum—
Cause of Zonate Eyespot of Grasses: Charles Drechsler 473–492
distribution and seasonal occurrence 473–475, 492
host range 478, 484–492
isolation and artificial cultivation 478–483, 492
overwintering 475, 491
taxonomic relationships 483–484
Heredity. *See* Inheritance.
Heterodera schachtii Schmidt, nematodes inhabiting 571–575
Hogan, Albert G.; Shrewsbury, Charles L.; and Kempster, Harry L.: Rapid Growth of Chicks on Rations of Natural Foodstuffs 115–121
Holbert, James R.; Dickson, James G.; and Johann, Helen: A Pythium Seedling Blight and Root Rot of Dent Corn 443–464
Humidity, effect on onions and fruits exposed to ammonia 341–346, 347–348
Hybrids, oat, production, factors affecting results 7–9, 21

Idaho, Northern, and Adjacent Areas, Second-Growth Western Yellow Pine, Preliminary Normal Yield Tables for: C. Edward Behre 379–397
Inheritance—
in Oats, of Resistance to *Puccinia graminis avenae:* S. M. Dietz 1–23
pigmentation—
areas in guinea pigs, study 25–41
in beans 436–437, 441, 442
seed color in sorghums, relation to seedcoat structure 577–588
Inoculation—
corn, with *Pythium arrhenomanes*, experimental results 447–463
peaches—
with Monilia, methods and results 508–514, 516–521
with Rhizopus, methods and results 514–521
sugar beets, with *Bacterium beticola*, results 155–161
Insects—
freezing point, natural determination 749–755
injury, effects on water and temperature relations 743–748, 751
piercing, effect on internal temperature 744–748, 750–751, 755
Surgical Shock, Effect, Study: William Robinson 743–748
temperature—
internal, determination 749–755
relations, effect of surgical shock 744–748, 750–751, 755
undercooling and freezing points—
effect of surgical shock 744–748, 750–751, 755
Natural, Determination: William Robinson 749–755
water relations, effect of surgical shock 744, 745, 751
Irrigation, Yakima Valley, water relations of soil 65–85

Janssen, George, and Metzger, W. H.: The Relation of Sodium Nitrate and Certain Other Nitrogen Carriers to the Development of Chlorosis in Rice 589–602

Page

Japanese quince, fire-blight infection study 494–497, 504

Jeffries, C. D.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Swift, R. W.; French, Rowland B.; Miller, R. C.; and Smythe, C. V.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition 253–300
Johann, Helen; Holbert, James R.; and Dickson, James G.: A Pythium Seedling Blight and Root Rot of Dent Corn 443–464
Jones, Fred Reuel—
Development of the Bacteria Causing Wilt in the Alfalfa Plant as Influenced by Growth and Winter Injury 545–569
Winter Injury of Alfalfa 189–211
Juar. *See* Sorghums.

Kafir. *See* Sorghums.
Kale, resistance to cabbage yellows 238, 239, 240, 241

Kaoliang. *See* Sorghums.
Katabolism, fasting, of cattle, as measure of maintenance requirement of net energy 268–274
Kearney, Thomas H.; and Harrison, George J.: Variation in Seed Fuzziness on Individual Plants of Pima Cotton 465–472
Kempster, Harry L.; Hogan, Albert G.; and Shrewsbury, Charles L.: Rapid Growth of Chicks on Rations of Natural Foodstuffs 115–121
Kohl-rabi, susceptibility to cabbage yellows 238, 239, 240, 241
Kriss, Max; Forbes, E. B.; Braman, Winfred W.; Jeffries, C. D.; Swift, R. W.; French, Rowland B.; Miller, R. C.; and Smythe, C. V.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition 253–300

Lactation, Dietary Requirements—
A Dietary Sterility Associated with Vitamin A Deficiency: Barnett Sure 87–92
The Vitamin A Content of Wheat Oil: Barnett Sure 93–99
Larvae, fruit-moth, overwintering, mortality data 407–416
Lasiagrostis splendens, host of *Helminthosporium giganteum* 487–488, 491
Laspeyresia molesta, spring-brood emergence, determination 399–417
Leaching, soil, need in irrigation 84–85
Leersia virginica, host of *Helminthosporium giganteum* 488–489, 491
Leguminosae, hosts of tobacco ring spot 130, 141–142, 144, 149, 152, 153
Light exposure, daily duration, effect on growth and production of some economic plants 603–628
Lighting, artificial, effect on growth and production of some economic plants 603–628
Linseed oil, formation period 366–369, 374–375, 376

McClelland, T. B.: Studies of the Photoperiodism of Some Economic Plants 603–628
Maize. *See* Corn.
Mammary gland, structure in dairy and beef cows, comparison 695–697, 715–716, 717
Manure, green, effect on reaction of rice soils 591, 592, 600, 601
Medicago sativa. *See* Alfalfa.
Melanose, citrus. *See* Citrus melanose.
Metabolism, Energy, of Cattle, Relation to Plane of Nutrition: E. B. Forbes, Winfred W. Braman, Max Kriss, C. D. Jeffries, R. W. Swift, Rowland B. French, R. C. Miller, and C. V. Smythe 253–300
Metzger, W. H., and Janssen, George: The Relation of Sodium Nitrate and Certain Other Nitrogen Carriers to the Development of Chlorosis in Rice 589–602
Milk—
Secretion, Rate, Measurement of Growth and Senescence in Red Danish Cows: W. L. Gaines and D. D. Shaw 169–180
yield, measure of growth and age of cow, computation 169–180

Page

Miller—
F. W.; Swett, W. W.; and Graves, R. R.: Comparison of Conformation, Anatomy, and Skeletal Structure of a Highly Specialized Dairy Cow and a Highly Specialized Beef Cow ... 685–717
R. C.; Smythe, C. V.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Jeffries, C. D.; Swift, R. W.; and French, Rowland B.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition ... 253–300
Millets. See *Panicum* spp.
Moisture—
capillary potential, measurement in dry soils ... 738–739
content of soil, Yakima Valley, before and after irrigation ... 67–83
effect on emergence of fruit moths ... 407
soil—
and capillary potential, analyses, results ... 731–734, 741
availability to plants, study ... 737–738, 741
potential functions, study ... 719–741
Monilia—
development on peaches in transit, factors affecting ... 527–533
inoculations on peaches, methods and results ... 508–514, 516–521
rot, development, time-temperature relations ... 508–514, 516–521
Morning-glory, host of tobacco ring spot ... 130, 144
Moth, Polyphemus. *See* Polyphemus moth.
Moth, codling. *See* Codling moth.
Moths, fruit, spring-brood emergence, study 399–417
Mottling, beans, influence of environmental factors ... 435–442
Muhlenbergia spp., hosts of *Helminthosporium giganteum* ... 489, 491, 492

Nemas. *See* Nematodes.
Nematodes Inhabiting the Cysts of the Sugar-Beet Nematode (*Heterodera schachtii* Schmidt: Gerald Thorne ... 571–575
Nicotiana spp., ring-spot disease, symptoms ... 132–149, 152–153
Nitrate nitrogen, effect on development of chlorosis and plant yield in rice ... 593–595
Nitrates, reduction in flooded soils, experimental results ... 591–592
Nitrogen—
availability to rice plant at various stages of growth ... 590–592
carriers, relation to development of chlorosis in rice ... 589–601
content of cider, effect of yeast inoculations ... 45–50, 53–54
total, in rice soils, study ... 592–593
Nose spot, occurrence in guinea pigs ... 25–37
Nut-pine rust. *See* Blister rust, piñion; *Cronartium occidentale*.
Nutrition Plane, in Cattle, Relation to Energy Metabolism: E. B. Forbes; Winfred W. Braman, Max Kriss, C. D. Jeffries, R. W. Swift, Rowland B. French, R. C. Miller, and C. V. Smythe ... 253–300

Oats—
crossbreeding—
factors affecting results ... 7–9, 21
for rust resistance, experimental results 12–22
hybrids, vigor as expressed by yield and height ... 10–12
Inheritance of Resistance to *Puccinia graminis avenae*: S. M. Dietz ... 1–23
rust—
resistance, factorial explanation ... 12–21
resistance, inheritance studies ... 1–22
susceptibility, relation to size of uredinia ... 4–7
Oil—
Content of Flaxseeds, and (Their) Daily Growth: A. C. Dillman ... 357–377
linseed, formation ... 366–369, 374–375, 376
Okra, host of tobacco ring spot ... 130

Page

Onion sets, growth and bulb formation under normal and extended light exposure. 615
Onions—
discoloration in storage, cause ... 339–343, 346–348
growth and bulb formation under normal and extended light exposure ... 605–615, 627–628
injury caused by exposure to ammonia ... 339–343, 347–348
varietal adaptability to day lengths ... 605–615, 627–628
Ophiobolus graminis—
cause of take-all of wheat ... 647, 660
Growth in Pure Culture, Influence of Oxygen and Carbon Dioxide on: Hurley Fellows ... 349–355
infection of wheat plant—
progress ... 649–652, 654, 660
Some Chemical and Morphological Phenomena Attending: Hurley Fellows ... 647–661
See also Wheat, take-all.
Ophthalmia, result of vitamin A deficiency in diet ... 89, 90, 91, 94–98
Orchards, moths, spring-brood emergence, study ... 399–417
Oriental peach moths, spring-brood emergence, determination ... 399–417
Owen, F. V.; Burgess, Iva Merchant; and Burnham, C. R.: The Influence of Environmental Factors on Pigment Patterns in Varieties of Common Beans ... 435–442
Oxygen, use against take-all disease, experiments ... 349–352, 354–355

Panic grass, infection with zonate eyespot 489–490
Panicum spp., hosts of *Helminthosporium giganteum* ... 489–490, 492
Peach—
Moths, Oriental, and Codling Moths, Spring-Brood Emergence, Determination by Various Methods: Alvah Peterson and G. J. Haeussler ... 399–417
Rot Infection, Time-Temperature Relations in Different Types: Charles Brooks and J. S. Cooley ... 507–543
scab fungus, comparison with pecan-scab fungus ... 185
Peaches—
injury caused by exposure to ammonia ... 344, 346–348
inoculation with—
Monilia, methods and results ... 508–514, 516–521
Rhizopus, methods and results ... 514–521
rot development—
in transit, factors affecting ... 527–533
under different types of inoculation and temperature conditions ... 533–535
spoilage in transit, studies ... 507–543
spraying, effect on susceptibility to rots in transit ... 535–536, 543
varietal resistance to rots ... 529–534
Peanuts, chilling above freezing point, effects ... 318, 320, 322, 326–329, 332, 335, 336, 337
Pears, injury by exposure to ammonia ... 343–346, 347–348
Pecan-Scab Fungus—
Cladosporium effusum (Wint.) Comb. Nov., Morphology and Taxonomy: J. B. Demaree ... 181–187
comparison with apple- and peach-scab fungi ... 184–185
conidia—
catenulate arrangement ... 183–184
formation ... 182–183
Pennisetum alopecuroides, host of *Helminthosporium giganteum* ... 490, 492
Peterson, Alvah, and Haeussler, G. J.: Determination of the Spring-Brood Emergence of Oriental Peach Moths and Codling Moths by Various Methods ... 399–417
Phalaris arundinacea, host of *Helminthosporium giganteum* ... 490–491
Phaseolus vulgaris, pigment patterns, effects of environments on ... 435–442
Phleum pratense, host of *Helminthosoprium giganteum* ... 491, 492

Page

Phomopsis citri, cause of citrus melanose 243, 244, 245
Phosphorus—
content of cider, effect of yeast inoculation 45–51, 53–54
Distribution in Grains: J. E. Webster 123–125
Photoperiodism of Some Economic Plants, Studies: T. B. McClelland 603–628
Phytin phosphorus, distribution in grain seeds 124–125
Pigment Patterns in Varieties of Common Beans, Influence of Environmental Factors on: F. V. Owen, Iva Merchant Burgess, and C. R. Burnham 435–442
Pigmentation—
areas in guinea pigs, study 25–41
inheritance in sorghum seed, study 577–588
Pigs, guinea. *See* Guinea pigs.
Pigweed, host of tobacco ring spot 130, 144
Pine—
western white, danger from blister rusts 663, 681
western yellow—
basal area, study 382–385, 396–397
Second Growth in Northern Idaho and Adjacent Areas, Preliminary Normal Yield Tables for: C. Edward Behre 379–397
stand character, variations 385–387, 390–396, 397
volume studies 388–394, 396–397
Pineapples, Red Spanish—
growth, blossoming, and fruiting under normal and extended light exposure 621–625, 628
slip production under normal and extended light exposure 623–624, 628
Piñon blister rust. *See* Blister rust, piñon; *Cronartium occidentale*.
Pinus—
ponderosa. *See* Pine, western yellow.
spp.—
danger from blister rusts 663, 681
infection with *Cronartium* spp., factors affecting 665–667
See also Pine.
Plants—
chilling above freezing point, effects 315–337
Economic, Photoperiodism, Studies: T. B. McClelland 603–628
Ring Spot, Virus Disease, Hosts and Symptoms: S. A. Wingard 127–153
Plum, Burbank, fire-blight infection, study 500–502, 504
Poa pratensis, host of *Helminthosporium giganteum* 491, 492
Pokeweed, host of tobacco ring spot 130, 138–139, 152, 153
Polyphemus moth—
effect of surgical shock, experimental study 744–747, 748, 751
undercooling and freezing points, effect of surgical shock 744–747, 751
water relations, effect of surgical shock 744, 745, 751
Potassium—
chloride, effect on reaction of plants to chilling 331, 334, 337
in wheat ration, effect of variation 55–59, 60–63
nitrate, effect on reaction of plants to chilling 331–334, 337
sodium ration in feed, effect on variation 55–63
Potato wilt, failure to infect alfalfa 431
Potatoes—
chilling above freezing point, effect 319, 321, 323, 324, 336
growth and tuber formation under normal and extended light exposure 615–618, 628
varietal adaptability to day length 615–618, 628
Prunus salicina, fire-blight infection, study 500–502, 504
Puccinia graminis avenae—
in Oats, Resistance, Inheritance: S. M. Dietz 1–23
physiologic forms 9–10, 22
Pumpkins, chilling above freezing point, effect 319, 320, 323, 324, 328, 335, 336
Pythium arrhenomanes—
cause of corn rot 446, 463
cultural characters 445

Page

Pythium arrhenomanes—Continued.
inoculation experiments on yellow dent corn 447–462
taxonomy 446
temperature relations 445–446
Pythium blight, of corn, description 443–444, 462, 463

Quack grass, infection with zonate eyespot 484, 486
Quince, Japanese, fire-blight infection, study 494–497, 504

Ramsey, G. B., and Butler, L. F.: Injury to Onions and Fruits Caused by Exposure to Ammonia 339–348
Ration, Wheat, Effect of Variation of Potassium and Chlorine in: J. L. St. John 55–64
Rations—
cattle—
digestibility, study 258–259, 289–290
net-energy values, experimental study 253–299
Chick, of Natural Foodstuffs, Effect on Rapid Growth: Albert G. Hogan, Charles L. Shrewsbury, and Harry L. Kempster 115–121
Rats, dietary requirements for fertility and lactation 87–91, 93–98
Refrigeration, fruits in shipping, duplications of conditions 522–524
Rhizopus—
development on peaches in transit, factors affecting 527–533
inoculations on peaches, methods and results 514–521
nigricans, cause of peach rot 508
rot, development, time-temperature relations 514–521
Ribes—
Pacific Northwestern, Inoculation with *Cronartium ribicola* and *C. occidentale*: Glenn Gardner Hahn 663–683
spp.—
inoculation with *Cronartium* spp., methods 667–673
susceptibility to *Cronartium occidentale* 675, 678, 679, 680, 681
susceptibility to *Cronartium ribicola* 674–677, 679, 680, 681
triste, differential host for white pine and piñon blister rusts 681
Rice—
chilling above freezing point, effect 319, 322, 324, 328, 335, 337
Chlorosis, Development, Relation of Sodium Nitrate and Certain Other Nitrogen Carriers to: W. H. Metzger and George Janssen 589–602
straw, yield—
effect of various soil treatments 591–592, 595, 597–598
relation to hydrogen-ion concentration of soil 597–598
wild. See *Leersia virginiaca*.
Richards, Lorenzo A.: The Usefulness of Capillary Potential to Soil Moisture and Plant Investigators 719–742
Ring spot—
tobacco, hosts and symptoms 127–153
Virus Disease of Plants, Hosts and Symptoms: S. A. Wingard 127–153
Robinson, William—
A Study of the Effect of Surgical Shock on Insects 743–748
Determination of the Natural Undercooling and Freezing Points in Insects 749–755
Root rot, alfalfa. *See* Alfalfa wilt.
Rosaceous plants, fire-blight infection, studies 493–504
Rose, fire-blight infection, study 497–499, 504
Rosen, H. R., and Groves, A. B.: Studies on Fire Blight: Host Range 493–505
Rot—
black-mold. *See* Rhizopus; Rot, Rhizopus.
brown. *See* Monilia; Rot, Monilia.

Rot—Continued. Page
Monilia—
development, time-temperature relations 508–514, 516–521
See also Monilia.
Rhizopus—
development, time-temperature relations 514–521
See also Rhizopus.
Rots, peach, development, time-temperature relations 507–543
Rust—
nut-pine. *See* Blister rust, piñon; *Cronartium occidentale.*
piñon blister. *See* Blister rust, piñon; *Cronartium occidentale.*
white-pine blister. *See* Blister rust, white pine; *Cronartium ribicola.*
Ryegrass. See *Elymus virginicus.*

Saccharomyces valesiacus, inoculation of cider, effects 45–54
Sage, scarlet, host of tobacco ring spot 130
St. John, J. L.: Effect of Variation of Potassium and Chlorine in a Wheat ration 55–64
Salinity, soil, relation to seedling stand, study 213–230
Salmon, S. C., and Sellschop, Jacq. P. F.: The Influence of Chilling, above the Freezing Point, on Certain Crop Plants 315–338
Salt solution, effect on reaction of plants to chilling 331–334, 337
Salts—
concentration in soil, prevention 84–85
nitrate and ammonium, relative value as sources of nitrogen for rice, study 589–601
Salvia splendens, host of tobacco ring spot 130
Scab, pecan. *See* Pecan scab.
Scarlet sage, host of tobacco ring spot 130
Sclerotinia fructicola, cause of peach rot 508
Scofield, Carl S., and Wright, Coulsen C.: The Water Relation of Yakima Valley Soil 65–85
Seed—
coat structure in sorghums—
relation to genetic factors 580–582
relation to inheritance of seed color 577–588
color, inheritance in sorghums, relation to seed-coat structure 577–588
Fuzziness in Pima Cotton, Variation on Individual Plants: Thomas H. Kearney and George J. Harrison 465–472
Seedling—
Blight, Pythium, and Root Rot of Dent Corn: Helen Johann, James R. Holbert, and James G. Dickson 443–464
stand, relation to soil salinity, study with cotton 213–230
Seeds, grain, germination, relation to phosphorus distribution 124–125
Sellschop, Jacq. P. F., and Salmon, S. C.: The Influence of Chilling, above the Freezing Point, on Certain Crop Plants 315–338
Senescence, in cows, relation to milk yield, computation 169–180
Shaw, D. D., and Gaines, W. L.: Growth and Senescence in Red Danish Cows as Measured by the Rate of Milk Secretion 169–180
Shock, Surgical, Effect on Insects, Study: William Robinson 743–748
Shrewsbury, Charles L.; Kempster, Harry L.; and Hogan, Albert G.: Rapid Growth of Chicks on Rations of Natural Foodstuffs 115–121
Siegler, E. A.: Studies on the Etiology of Apple Crown Gall 301–313
Smartweed, host of tobacco ring spot 130, 144
Smythe, C. V.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Jeffries, C. D.; Swift, R. W.; French, Rowland B.; and Miller, R. C.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition 253–300
Snake grass, infection with zonate eyespot 487, 491
Snapdragon, host of tobacco ring spot 130, 141–142, 149

Sodium— Page
chloride, effect on reaction of plants to chilling 331–334, 337
nitrate—
and Certain Other Nitrogen Carriers, Relation to Development of Chlorosis in Rice: W. H. Metzger and George Janssen 589–602
effect on reaction of plants to chilling 331–334, 337
potassium ratio in feed, effect of variation 55–63
Soil—
atmosphere, composition in cultivated fields 354
fertility, effect on pigmentation of beans 439–442
Moisture—
and Plant Investigators, Usefulness of Capillary Potential to: Lorenzo A. Richards 719–742
capillary potential gradient, study 734–737, 741
percentage and capillary potential, analyses results 731–734, 741
potential functions, study 719–741
Reaction on Ionizable Constituents of Tomato, Influence as Determined by Electrodialysis: E. S. Haber 101–114
Salinity, Possible Relationship to Stand in Cotton: J. Arthur Harris 213–231
solution—
concentration, relation to seedling stand 229, 230
pressure, capillary potential as measure 727–737, 741
Yakima Valley, Water Relations: Carl S. Scofield and Coulsen C. Wright 65–85
Soils—
alkalinity, prevention in irrigation 84–85
capillary potential, studies 719–742
dry, capillary potential of moisture, measurement 738–739
effect on acidity and alkalinity of tomato plant 112–114
field-carrying capacity, determination 68
gas content, effect on take-all disease, experiments 349–355
hydrogen-ion concentration, effect of flooding 595–597
leaching, necessity in irrigation 84–85
moisture equivalent, definition 66
rice—
reaction and nitrogen changes, experimental study 589–590, 598–601
submergence, effect on hydrogen-ion concentration and plant yield 595–598
submergence, effect on nitrogen content 590–593
total-nitrogen studies 592–593
wilting point for plants, determination 67, 83–84
Solanaceae, hosts of tobacco ring spot 129, 132, 135–136, 138, 141–142, 144–145, 148–149, 152, 153
Sorghum—
Field Experiments with, Experimental Methods and the Probable Error: Joseph C. Stephens and H. N. Vinall 629–646
varieties, seed-coat characteristics, comparison 582
See also Feterita.
Sorghums—
chilling above freezing point, effect 319, 321, 323, 328, 334
kernel—
color, inheritance study 577–588
structure, description 579–580
Seed—
Coat Structure and Inheritance of Seed Color: Arthur F. Swanson 577–588
Color, Inheritance, and Seed-Coat Structure: Arthur F. Swanson 577–588
Sorgo—
Fread, crosses with feterita, genetic study 585–586
Red Amber, crosses with feterita, genetic study 583–585
See also Sorghum; Sorghums.
Soy beans, chilling above freezing point, effects 319, 320, 322, 323, 327, 328, 329, 335, 336

Page

Spinach, New Zealand, host of tobacco ring spot ... 130, 141, 142, 149
Spirea, fire-blight infection, study ... 499–500, 504
Spring-Brood Emergence, Oriental Peach Moths and Codling Moths, Determination by Various Methods: Alvah Peterson and G. J. Haeussler ... 399–417
Squashes, hosts of tobacco ring spot ... 142, 150–151
Steers. *See* Cattle.
Stem rust, of oats—
resistance, inheritance studies ... 1–22
See also *Puccinia graminis avenae*.
Stephens, Joseph C., and Vinall, H. N.: Experimental Methods and the Probable Error in Field Experiments with Sorghum ... 629–646
Sterility, in rats, relation to vitamin A deficiency ... 87–91
Storage, cold, fruits and vegetables, discoloration studies ... 339–348
Sudan grass, chilling above the freezing point, effect ... 319, 321, 324, 334, 336
Sugar Beet. *See* Beet, sugar.
Sunflowers, chilling above freezing point, effects ... 319, 323, 324, 335
Sure, Barnett—
Dietary Requirements for Fertility and Lactation—
A Dietary Sterility Associated with Vitamin A Deficiency ... 87–92
The Vitamin A Content of Wheat Oil ... 93–99
Swanson, Arthur F.: Seed-Coat Structure and Inheritance of Seed Color in Sorghums ... 577–588
Sweet potato wilt, failure to infect alfalfa ... 431
Sweet potatoes—
growth and tuber formation under normal and extended light exposure ... 604–605, 627
varietal adaptability to day lengths ... 604–605 627
Sweet scabious, host of tobacco ring spot ... 130, 144
Swett, W. W.; Graves, R. R.; and Miller, F. W.: Comparison of Conformation, Anatomy, and Skeletal Structure of a Highly Specialized Dairy Cow and a Highly Specialized Beef Cow ... 685–717
Swift, R. W.; French, Rowland B.; Miller, R. C.; Smythe, C. V.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; and Jeffries, C. D.: The Energy Metabolism of Cattle in Relation to the Plane of Nutrition ... 253–300

Tail spot, occurrence in guinea pigs ... 38–41
Take-all, of wheat. See *Ophiobolus graminis;* Wheat, take-all.
Teff grass, chilling above the freezing point, effect ... 319, 321, 324, 336
Telea polyphemus. *See* Polyphemus moth.
Temperature—
effect on emergence of fruit moths ... 404–406
studies of insects ... 744–755
Time Relations in Different Types of Peach-Rot Infection: Charles Brooks and J. S. Cooley ... 507–543
Temperatures—
effect on onions and fruits exposed to ammonia ... 341–346, 348
high, effect on flaxseed development ... 371
low, effects on crop plants ... 315–337
Tepary bean, chilling above freezing point, effect ... 319, 321–323, 336
Texas, Chillicothe Field Station, drainage and soil conditions ... 629–631
Thorne, Gerald: Nematodes Inhabiting the Cysts of the Sugar-Beet Nematode (*Heterodera schachtii* Schmidt) ... 571–575
Timber—
stands, factors affecting ... 396
yield tables for western yellow pine of second growth ... 379–397
Time-Temperature Relations in Different Types of Peach-Rot Infection: Charles Brooks and J. S. Cooley ... 507–543
Timothy, infection with zonate eyespot ... 491, 492

Page

Tobacco—
ring spot—
hosts and symptoms ... 127–153
transmission, discussion ... 152
wildfire, similarity to ring spot ... 136
Tomato—
acidity, determination by electrodialysis ... 101–114
alkalinity, determination by electrodialysis ... 101–114
Ionizable Constituents, Soil-Reaction Influence on as Determined by Electrodialysis: E. S. Haber ... 101–114
soil reaction influence as determined by electrodialysis ... 101–114
Tomatoes, chilling above freezing point, effects ... 319, 321, 323, 324, 336

Udder structure, in dairy and beef cows, comparison ... 695–697, 715–716, 717
Undercooling point, in insects—
determination ... 749–755
effect of surgical shock ... 745–748, 751, 755

Vandecaveye, S. C.: The Effect of Successive Generations of Yeast on the Alcoholic Fermentation of Cider ... 43–54
Vegetables—
discoloration in storage, cause ... 339–343, 346–348
growth and production under normal and extended light exposure ... 603–621, 625–628
Velvet beans, chilling above freezing point, effects ... 318, 322, 324–330, 335–337
Vinall, H. N., and Stephens, Joseph C.: Experimental methods and the Probable Error in Field Experiments with Sorghum ... 629–646
Violaceae, hosts of tobacco ring spot ... 130, 144, 153
Virus, tobacco ring spot, potency ... 152–153
Vitamin—
A—
deficiency, effect on fertility and lactation of rats ... 87–91
effect on growth and inanition of rats ... 98
in wheat oil, effect on fertility and lactation of rats ... 93–98
B, effect on inanition in rats ... 98
D, effect on growth of rats ... 98
E, relation to sterility in rats, experiments ... 87–91

Walker, J. C., and Wellman, F. L.: A Survey of the Resistance of Subspecies of *Brassica oleracea* to Yellows (*Fusarium conglutinans*) ... 233–241
Water—
capillary motion, three common cases ... 736–737, 741
irrigation, Yakima Valley, relation to soil ... 65–85
Relations, Yakima Valley Soil: Carl S. Scofield and Coulsen C. Wright ... 65–85
Watermelons, chilling above freezing point, effect ... 319, 320, 323, 324, 328, 335, 336
Webster, J. E.: Phosphorus Distribution in Grains ... 123–125
Weimer, J. L.: A Wilt Disease of Alfalfa Caused by *Fusarium oxysporum* var. *medicaginis*, n. var ... 419–433
Wellman, F. L., and Walker, J. C.: A Survey of the Resistance of Subspecies of *Brassica oleracea* to Yellows (*Fusarium conglutinans*) ... 233–241
Wheat—
Oil—
Vitamin A Content: Dietary Requirements for Fertility and Lactation: Barnett Sure ... 93–99
vitamin content and potency ... 87–88, 90–91, 93–98
plant—
coleoptile, description ... 651
crown, description ... 653–654
Infection by *Ophiobolus graminis*, Some Chemical and Morphological Phenomena Attending: Hurley Fellows ... 647–661
infection with *Ophiobolus graminis*, description ... 649–652, 654, 660

	Page
Wheat—Continued.	
plant—continued.	
subcoronal internode, description	652
take-all infected, morphological changes	655–658, 660
Ration—	
Effect of Variation of Potassium and Chlorine in: J. L. St. John	55–64
for chicks, effect on growth, study	115–121
root systems, description	648–649, 650
roots, take-all infected, morphological changes	658–659, 660
take-all—	
causal organism	647, 660
fungus, growth, effects of oxygen and carbon dioxide	349–355
fungus, growth, effects of variations of soil gases	349–355
infection, chemical and morphological phenomena attending	647–660
infection, microchemical tests	648
White pine blister rust. *See* Blister rust, white pine.	
Wilt—	
Bacterial, of Alfalfa—	
Development as Influenced by Growth and Winter Injury: Fred Reuel Jones	545–569
relation to winter injury	545, 562–566, 568, 569
Disease of Alfalfa Caused by *Fusarium oxysporum* var. *medicaginis*, n. var.: J. L. Weimer	419–433
Fusarium of—	
alfalfa. *See* Alfalfa wilt.	
potato, failure to infect alfalfa	431
Wingard, S. A.: Hosts and Symptoms of Ring Spot, a Virus Disease of Plants	127–153
Winter Injury of Alfalfa: Fred Reuel Jones	189–211
Winter injury of alfalfa—	
characteristics	199–206
relation to bacterial wilt	545, 562–566, 568, 569
Winterkilling, alfalfa, relation to development of winter injury	206–207
Wolf, Frederick A., and Bach, Walter J.: The Isolation of the Fungus that Causes Citrus Melanose and the Pathological Anatomy of the Host	243–252
Wright, Coulsen C., and Scofield, Carl S.: The Water Relations of Yakima Valley Soil	65–85
Yakima Valley Soil, Water Relations: Carl S. Scofield and Coulsen C. Wright	65–85
Yeast—	
Successive Generations, Effect on Alcoholic Fermentation of Cider: S. C. Vandecaveye	43–54
toxicity and alcohol production of successive generations	45–51
Yellows—	
cabbage, resistance of subspecies to, survey	233–241
(*Fusarium conglutinans*), Resistance of Subspecies of *Brassica oleracea* to, A Survey: J. C. Walker and F. L. Wellman	233–241
Yield Tables, Normal, Preliminary, for Second-Growth Western Yellow Pine in Northern Idaho and Adjacent Areas: C. Edward Behre	379–397
Zonate Eyespot of Grasses Caused by *Helminthosporium giganteum:* Charles Drechsler	473–492